MATERIAL SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

National Institute of Standards and Technology Standard Reference Materials Program

SRM Number: 3140
MSDS Number: 3140

100 Bureau Drive, Stop 2300 MSDS Number: 3140
SRM Name: Platinum Standard Solution

Gaithersburg, Maryland 20899-2300

Date of Issue: 02 August 2006

MSDS Coordinator: Mario J. Cellarosi Emergency Telephone ChemTrec:

E-mail: SRMMSDS@nist.gov

Description: This Standard Reference Material (SRM) is intended for use as a primary calibration standard for the quantitative determination of platinum. One unit of SRM 3140 consists of five 10-mL sealed borosilicate glass ampoules of an acidified aqueous solution prepared gravimetrically to contain a known mass fraction of platinum. The solution contains hydrochloric acid at a volume fraction of approximately 10 %.

Material Name: Platinum Standard Solution.

Other Designations:

Platinum: Pt; platinum metal; elemental platinum.

Platinum Chloride: Platinum tetrachloride; tetrachloroplatinum; platinum (IV) chloride. **Hydrochloric Acid:** Hydrogen chloride; hydrochloric acid, aqueous; muriatic acid.

2. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Component	CAS Registry	EC Number (EINECS)	Concentration (%)	
Hydrochloric Acid	7647-01-0	231-595-7	10	
Platinum Chloride	13454-96-1	236-645-1	1.7	
Platinum	7440-06-4	231-116-1	1	

EC Classification, R/S Phrases: Refer to Section 15, Regulatory Information.

3. HAZARDS IDENTIFICATION

NFPA Ratings (Scale 0-4): Health = 3 Fire = 0 Reactivity = 1

Major Health Hazards: Hydrochloric acid can cause severe or fatal burns if inhaled, swallowed, or

absorbed through the skin. Platinum and platinum compounds can cause irritation,

allergic reactions, and possible kidney and lung damage.

Physical Hazards: Glass container may break or shatter. Some mixtures may explode (Section 5).

MSDS 3140 Page 1 of 7

Potential Health Effects

Inhalation: Inhalation of HCl may cause death due to inflammation, spasm, and edema of the

larynx and bronchi. Symptoms of exposure include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. Chemical pneumonitis, pulmonary edema, cyanosis, and rapid breathing may occur. The teeth, nasal passages, and other tissues may be damaged. Exposure to platinum dust or platinum chloride may cause irritation, allergic reactions, and possible lung

damage; symptoms include coughing, wheezing, and difficult breathing.

Skin Contact: Hydrochloric acid can cause severe burns, but it is not absorbed through the skin.

Platinum dust or platinum chloride may cause irritation or allergic reactions.

Eye Contact: Hydrochloric acid can cause severe burns and permanent eye damage. Platinum

dust or platinum chloride may cause irritation or allergic reactions, with tearing and

itching.

Ingestion: Hydrochloric acid can cause severe corrosive injury to the mucous membranes and

GI tract. Internal bleeding may cause a drop in blood pressure. Other effects may include shock, metabolic acidosis, and circulatory collapse. Platinum and its compounds may irritate the GI tract, and may also cause kidney damage. Soluble

platinum salts may cross the placenta and affect the fetus.

Medical Conditions Aggravated by Exposure: Any pre-existing conditions affecting the skin, eyes, respiratory tract, or other target organs. Pregnant women should avoid contact with soluble platinum salts.

Listed as a Carcinogen/ Potential Carcinogen:

	1 68	110
In the National Toxicology Program (NTP) Report on Carcinogens		X
In the International Agency for Research on Cancer (IARC) Monographs		X
By the Occupational Safety and Health Administration (OSHA)		X

4. FIRST AID MEASURES

Inhalation: Move the person to fresh air immediately. If not breathing, qualified personnel may start CPR or give oxygen if necessary. Get medical aid at once, and bring the container or label.

Skin Contact: Remove contaminated clothing and shoes. Flush affected skin with water for at least 15 minutes, then wash thoroughly with soap and water. If burns are severe or if skin irritation persists, get medical aid and bring the container or label. Wash contaminated clothing before reusing.

Eye Contact: Remove contact lenses (if any). Do not allow victim to rub eyes or keep eyes closed. Flush eyes with large amounts of running water for at least 30 minutes, keeping eyelids open and raising lids to remove all chemical. Get medical aid at once, and bring the container or label.

Ingestion: Contact a poison control center immediately for instructions. Wash out mouth with water, but do not induce vomiting. Get medical aid at once, and bring the container or label.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Hydrochloric acid is a negligible fire hazard when exposed to heat or flames, but it reacts with many metals to produce flammable hydrogen gas. It also reacts with water to produce heat. Hydrogen chloride gas is heavier than air and may accumulate in low areas. Platinum and platinum chloride are negligible fire hazards, but dust/air mixtures may ignite or explode.

MSDS 3140 Page 2 of 7

Extinguishing Media: Use extinguishing media appropriate to the surrounding fire: water spray, dry chemical, carbon dioxide, or foam. Use a water spray to dilute hydrochloric acid. (These guidelines apply to the mixture; when the components are considered separately, different precautions may apply.)

Fire Fighting: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH-approved self-contained breathing apparatus (SCBA).

Flash Point (°C): N/A **Autoignition (°C):** N/A

Flammability Limits in Air: N/A Lower Explosive Limit (LEL): N/A Upper Explosive Limit (UEL): N/A Flammability Class (OSHA): N/A

Products of Combustion: Thermal decomposition of hydrochloric acid may release acid halides. Thermal decomposition of platinum and platinum chloride may release chloroplatinic acid, platinum oxide, and other products.

6. ACCIDENTAL RELEASE MEASURES

Occupational Release: Notify safety personnel of spills. Surfaces contaminated with this material should be covered with soda ash or sodium bicarbonate to neutralize the acid and to prevent the formation of potentially explosive hydrogen gas. Place the neutralized material into containers suitable for eventual disposal, reclamation, or destruction. Empty containers may retain hazardous product residues. Do not flush to sewer.

Disposal: Refer to Section 13, Disposal Considerations.

7. HANDLING AND STORAGE

Storage: Store unopened containers of this material in a dry place with acid-resistant flooring at room temperature. Protect from physical damage, direct sunlight, heat, and incompatible materials.

Safe Handling Precautions: Wear gloves and chemical safety goggles (Section 8). Engineering controls should maintain airborne concentrations below TLV (Section 8).

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Hydrochloric Acid:

ACGIH TLV-TWA: 5 ppm or 7 mg/m³ OSHA PEL: 5 ppm or 7 mg/m³ UK WEL-TWA: 2 mg/m³

Platinum Chloride (as Platinum, soluble salts):

ACGIH TWA: 0.002 mg/m³ OSHA TWA: 0.002 mg/m³ UK WEL-TWA: 0.002 mg/m³

Platinum:

ACGIH TWA: 1 mg/m³ OSHA TWA: 1 mg/m³ UK WEL-TWA: 5 mg/m³

MSDS 3140 Page 3 of 7

Ventilation: Use local or general exhaust to keep employee exposures below limits. Local exhaust ventilation is preferred because it can control contaminant emissions at the source, preventing dispersion into the general work area. Refer to the ACGIH document *Industrial Ventilation*, a Manual of Recommended Practices.

Respirator: If necessary, refer to the NIOSH document *Guide to the Selection and Use of Particulate Respirators Certified under 42 CFR 84* for selection and use of respirators certified by NIOSH.

Eye Protection: Use chemical safety goggles where dusting or splashing of solutions may occur. See OSHA standard (29 CFR 1910.133) or European Standard EN166. The employer should provide an emergency eye wash fountain and safety shower in the immediate work area.

Personal Protection: Wear appropriate gloves and protective clothing to prevent contact with skin.

9. PHYSICAL AND CHEMICAL PROPERTIES

Hydrochloric Acid	Platinum Chloride	Platinum	
Appearance and Odor: Colorless liquid; pungent, irritating odor (may be undetectable at PEL).	Appearance and Odor: Gray to brown crystals	Appearance and Odor: Silverywhite ductile metal	
Relative Molecular Weight: 36.46	Relative Molecular Weight: 336.89	Relative Molecular Weight: 195.09	
Molecular Formula: HCl	Molecular Formula: PtCl ₄	Molecular Formula: Pt	
Density (g/cm ³): 1.05 (10 %)	Density (g/cm ³): 4.303	Density (g/cm ³): 21.45	
Solvent Solubility: Soluble in alcohol and benzene	Solvent Solubility: Soluble in acetone; slightly soluble in alcohol and ammonia	Solvent Solubility: Soluble in aqua regia; insoluble in mineral and organic acids.	
Water Solubility: Soluble, with slight evolution of heat	Water Solubility: Slightly soluble	Water Solubility: Insoluble	
Boiling Point (°C): 53 (127 °F)	Boiling Point: N/A	Boiling Point: 3827 (6921 °F)	
pH: 1.0 (0.1 M solution)	pH: N/A	pH: N/A	

NOTE: The physical and chemical data provided are for the pure components. Physical and chemical data for this solution do not exist. The actual behavior of the solution may differ from the individual components.

10. STABILITY AND REACTIVITY						
Stability:	X Stable	Unstable				
Stable at	t normal temperature	and pressure.				

Conditions to Avoid: Heat, light, moisture, incompatible materials.

Incompatible Materials:

Hydrochloric Acid: Incompatible with cyanides, metals, hydroxides, amines, bases, metal cyanides, oxidizing materials, acids, halocarbons, combustible materials, halogens, and metal salts. HCl reacts with many metals to produce flammable hydrogen gas. It also reacts with water to produce heat.

MSDS 3140 Page 4 of 7

Platinum Chloride: Incompatible with halogens; moisture sensitive; violent reaction with bromine trifluoride.

Platinum: Incompatible with other metals, bases, halogens, cyanides, combustible materials, reducing agents, peroxides, and acids.

Fire/Explosion Information: See Section 5.

Hazardous Decomposition: Thermal decomposition of hydrochloric acid may release acid halides. Thermal decomposition of platinum or platinum chloride may release chloroplatinic acid, platinum oxide, and other products.

Hazardous Polymerization: Will Occur X Will Not Occur

11. TOXICOLOGICAL INFORMATION

Route of Entry: X Inhalation X Skin X Ingestion

Hydrochloric Acid:

Human, inhalation, LC_{Lo} (30 min): 1300 mg/kg Human, inhalation, LC_{Lo} (5 min): 3000 mg/kg Rat, inhalation, LC_{Lo} (24 hrs): 685 mg/m³ Rat, oral, LD_{50} : 700 mg/kg (31.5% in water)

Platinum Chloride:

Rat, oral, LD₅₀: 276 mg/kg

Platinum:

Rat, oral, intermittent, TD_{Lo} (26 weeks): 9100 mg/kg

Target Organ(s): Respiratory tract, skin, teeth, eyes, immune system (sensitizer), kidneys.

Mutagen/Teratogen: The reproductive effects of this mixture and its three components have not been fully investigated. Hydrochloric acid has been investigated as a possible mutagen and/or carcinogen. Platinum (IV) chloride is also a suspected mutagen.

Health Effects: See Section 3.

12. ECOLOGICAL INFORMATION

Hydrochloric Acid: When released to water, HCl is ionized. Neutralization depends on the buffer capacity of the water. In the atmosphere, HCl is absorbed in cloud droplets and transformed to Cl-, with a half-life of 5.5 days. The solubility of HCl indicates a high mobility in soil.

Mosquitofish (*Gambusia affinis*), LC₅₀ (96 hrs): 282,000 μg/L Common Shrimp (*Crangon crangon*), LC₅₀ (48 hrs): 260,000 μg/L

Platinum Chloride: No acute ecotoxicity data found.

Platinum: No acute ecotoxicity data found.

Environmental Summary: This mixture may be slightly toxic to aquatic life. The environmental effects of platinum and its compounds have not been fully evaluated. Do not release this material to the environment.

MSDS 3140 Page 5 of 7

13. DISPOSAL CONSIDERATIONS

Waste Disposal: One or more components of this mixture are a RCRA hazardous waste. Dispose of container and unused contents in accordance with federal, state, and local requirements for acid waste, which vary according to location. Decontaminate containers before recycling. Processing, use, or contamination of this product may change the waste management options.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: Hydrochloric Acid Solution: Hazard Class 8, UN1789, Packing Group II

15. REGULATORY INFORMATION

U.S. REGULATIONS

CERCLA Sections 102a/103 (40 CFR 302.4):

Hydrochloric Acid: RQ = 5000 lbs.

Platinum: Not regulated.

Platinum Chloride: Not regulated.

SARA Title III Section 302: Hydrochloric acid is regulated in anhydrous or gas form only.

SARA Title III Section 304: Hydrochloric acid is regulated in anhydrous or gas form only.

SARA Title III Section 313: Hydrochloric acid is regulated in anhydrous or gas form only.

OSHA Process Safety (29 CFR 1910.119): Hydrochloric acid is regulated (TQ = 5000 lbs).

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE: Yes CHRONIC: Yes FIRE: No REACTIVE: Yes SUDDEN RELEASE: No

STATE REGULATIONS

California Proposition 65: None of the components are regulated.

CANADIAN REGULATIONS

WHMIS Classification:

Hydrochloric Acid: D1A (very toxic material), E (corrosive material)

Platinum Chloride: E (corrosive material)

Platinum: D2B (toxic material)

WHMIS Ingredient Disclosure List: All three components are regulated.

CEPA Domestic Substances List (DSL): All three components are regulated.

EUROPEAN REGULATIONS

EU/EC Classification:

Hydrochloric Acid: T (Toxic), C (Corrosive)

Platinum Chloride: Xn (Harmful), C (Corrosive); not classified in Annex I of Directive 67/548/EEC

Platinum: Xn (Harmful); not classified in Annex I of Directive 67/548/EEC.

MSDS 3140 Page 6 of 7

Risk Phrases (mixture):

R23 (toxic by inhalation)

R25 (toxic if swallowed)

R35 (causes severe burns)

R36/37/38 (irritating to eyes, respiratory system and skin)

R43 (may cause sensitization)

Safety Phrases (mixture):

S26 (rinse and seek medical advice after contact with eyes)

S28 (wash after contact with skin)

S36/37/39 (wear suitable protective clothing)

S45 (in case of accident or illness, see doctor; show label)

NATIONAL INVENTORY STATUS

U.S. Inventory (TSCA): All components are listed.

TSCA 12(b), Export Notification: None of the components are listed.

16. OTHER INFORMATION

Sources:

Hazardous Substances Data Bank (HSDB): Platinum Tetrachloride.

PAN Pesticides Database: Hydrogen Chloride.

U.S. Agency for Toxic Substances and Disease Registry (ATSDR): Medical Management Guidelines for Hydrogen Chloride (HCl).

U.S. National Institute for Occupational Safety and Health, *NIOSH Pocket Guide to Chemical Hazards*, September 2005 edition. DHHS (NIOSH) Publication No. 2005-151.

Disclaimer: Physical and chemical data contained in this MSDS are provided only for use as a guide in assessing the hazardous nature of the material. The MSDS was prepared carefully, using current references; however, NIST does not certify the data in the MSDS. The certified values for this material are given in the NIST Certificate of Analysis.

MSDS 3140 Page 7 of 7